GOVERNMENT OF INDIA MINISTRY OF EXTERNAL AFFAIRS

Sub: SUPPLY, INSTALLATION, TESTING & COMMIONING OF MEDICAL EQUIPMENTS & CSSD EQUIPMENTS

IFB Reference: HSCC/PUR/NEPAL/2012/A-B Dated 11/04/2012

ADDENDUM-1

Following item stands added to the IFB No. HSCC/PUR/NEPAL/2012/A-B dated 20.03.212. Accordingly, with this addition, page 9- **Invitation for Bids** and page 59- **Schedule of Requirement** of the Tender Documents stands modified as under:

Invitation for Bids (IFB) at page 9

	Item	Name of Equipment	Quantity	Bid	Last date of	Last date &
	No.		in Nos.	Security	Sale of Tender	time of
				(in Indian	Document	submission of
				Rupees)		bids
Orthopedics	42	General Orthopedic	2	80,000	April 26, 2012	April 27,
		Instruments set No.				2012 upto
		3				1100 Hrs.
						IST

Schedule of Requirement at Page 59

	Item No.	Name of Equipment	Quantity in Nos.
Orthopedics	42	General Orthopedic Instruments set No. 3	2

The technical specification of above item (i.e. item No. 42) is enclosed herewith and also stands added at page 165-166 of the Tender Documents.

The Tender Documents stands modified to this extent (i.e. Addendum-1 dated 11.04.2012). All other terms & conditions of the Tender Documents remain unchanged.

All future addendum, corrigendum, amendments, modifications, if any, will appear only on websites http://www.hsccltd.co.in or <a hr

Joint Secretary (North) Ministry of External Affairs, Govt. of India

General Orthopaedic Instruments - Set No.3 = Two Sets are required

pecifications: Following items manufactured to international standards by reputed multinational firms

	DESCRIPTION	QTY.
0	Bone Rongeur - Double Action	
	Small Size 18 cm	10
0	Medium Size 23 cm	10
a c	Large Size 27cm	10
4)	Bone cutter - Double Action	
	Small Size 18cm	10
100	Medium size 23cm	10
	Large size 27cm	10
Original	K-Wire Cutter (Capacity 4 mm) with replaceable tungsten carbide	
	blades with rubber Jaws Set	10 Sets.
	Should consist of:	
i., :	I K-wire cutter 28cm	
	II. Spare Blades 4 pairs with Screws	
()	III. Spare Rubber Jaws 4 Pairs with Screws	
0	IV. Allen keys 4 nos.	
0	Stienmann Pin Cutter cutting capacity up to 6mm	10
• •	Bone Curette Double Ended Round/Oyal	
9	Small 13cm	20
\circ	Medium 16cm	20
	Large 20cm	20
<u>.</u>	Loute wire tightener cum wire cutter	10
4.	Wire Bending cum cutter plier length 15cm	10
		40
	Osteotomes, straight with tufnol handle, 10 each of sizes 7, 10, 15, 20 mm width	40
4	7, 10, 10, 20 mm West	
);	Osteotomes, curved with tufnol handle, 10 each of sizes	40
	7, 10, 15, 20 mm width	
<i>∞</i> 6	Gouzes, straight with tufnol handle, 10 each of sizes	50
(a) 6. ()	4, 6, 8, 10, 12 mm	
Э.	Chisel Straight with tufnol handle 10 of each sizes	40
	7,10,15,20mm	

Retractors

18

Wullstein-Weitlaner Self-Retaining Retractor 3 X 3 Teeth Blunt Length 13 Cm

20

	Weitlaner Self-Retaining Retractor 3 X 4 Teeth Blunt Length 16.5 Cm Weitlaner Self-Retaining Retractor 3 X 4 Teeth Blunt Length 26 Cm	20 20
	Adson Self-Retaining Retractor 3 X 4 Teeth Blunt Length 26 Cm	20
	Gelpi Self-Retaining Retractor With Balls, Blunt Length 18 Cm	20
2		,
5	Elevators	
- >	Farabeuf Periosteal Elevator, Straight 13 Mm Length 15 Cm Farabeuf Periosteal Elevator, Curved 13 Mm Length 15 Cm	20
)	Lambotte Periosteal Raspatory And Elevator, Curved 10mm Length 21 Cm	20
)	Mc Donald Elevator Double Ended Curved 6/6mm Length 19 Cm	20 15
3	Cobbs Elevator Medium 13mm With Long Handle	10
)	Cobbs Elevator Large 19mm With Long Handle	-10
	Bolt Cutter	-
2	Bolt Cutter Maximum Capacity Dia 6mm Length 56cm	10
	T 3 YY 3-	
2.7	Lead Hands Lead Hands For Adults	10
	Lead Hailds For Addits	10
	Jacobs Chuck With Handle	
	Jacobs Drill Three Jaw Chuck With Key, Max Dia 6.35mm Length 14 Cm	30
À	Awls	2.0
3	With T-Handle Length 14 Cm With Round Handle Length 14 Cm	20
	With Round Handle Length 14 Cm	20
	Skin Grafting Handle With Blades	20
3		
Ì.	Only Complete set should be quoted and Sample to be produced for evaluation	
41.77		
)	•	
<u>)</u>	. ~ /	
	() my	
9	A STATE OF THE STA	
73-	Discontinue (1977)	
3	THE THE STATE OF T	
Ų.	اللفظ به المناطقة الم	
	TOTAL OTTO	
ð	With the state of	
)	4. HI.	

)