

ROOM

D.L.N.D.R.  
(5 MM Lead)

D6f

L.D.R.  
(Lead)

RESTRICTED  
ENTRY

N.D.R.  
(Lead)

POST  
ADMIN.  
2645  
WT. L.D.

DECONT.  
ROOM  
2000  
TLT.

EXIT  
RESTRICTED  
ENTRY

2400

230

LEAD L.N.D.R.  
(5 MM Lead)

SCAN  
REPORTING  
ROOM

4380

4385

UPS

APPROVED

LEAD L.N.D.R.  
(5 Mill lead)

CONSOLE  
WINDOW  
(LEAD GLASS  
> 2mm lead eq.)

CONSOLE  
ROOM  
4300

3520

LEAD L.N.D.R.  
(5 MM Lead)

CNT OUT IN  
ROOF SLAB

Y

HVAC SH-55

7700

WMM

RESTRICTED  
ENTRY

Decon.  
Room  
2250

Radio Active  
Waste  
2510

Rad. Str.  
2400

2620

LEAD L.N.D.R.  
(5 MM Lead)

PET  
RADIOCHEMISTRY  
ROOM  
7840

4690

2036

DOSE ADMIN  
4600

W 1  
3010

LEAD L.N.D.R.  
(5 MM Lead)

POST ADMIN  
WAITING FOR  
PET SCAN  
2400

LEAD L.N.D.R.  
(5 MM Lead)

W 2  
2000

W 3  
2375

W 4  
2640

ACTIVE  
TOI  
1880

1870

LEAD L.N.D.R.  
(5 MM Lead)

6150

CONSOLE  
WINDOW  
(LEAD GLASS  
> 2mm lead eq.)

PET SCAN

LEAD L.N.D.R.  
(5 MM Lead)

450

Z

DEPTME  
VMMÇ

7700

ANNEXURE-A

*de Sigh*

*Bayano*

*[Signature]*

*[Signature]*

*[Signature]*

*[Signature]*

DR. (P) ANIL K. RAJ  
Municipal Superintendent  
New Delhi - 110006  
VMMÇ