## **MINISTRY OF HEALTH & FAMILY WELFARE** (GOVT. OF INDIA)

## ALL INDIA INSTITUTE OF AYURVEDA (AIIA), NEW DELHI

Tender

for

Supply, Installation, Testing & Commissioning of Kitchen Equipments at All India Institute of Ayurveda (AllA), Sarita Vihar, New Delhi

**VOLUME – IV** 

## **BILL OF QUANTITIES (BOQ)**

November 2013



(Consultants & Engineers for Mega Hospitals & Laboratories) E - 6 (A), Sector - I, NOIDA (U.P.) - 201 301 (INDIA)

PHONE : 91-2542436, 2542440

FAX: 91-11-91-2542447 91-2542443, 2542445 E- mail : www.hsccltd.co.in

Tender No. HSCC/SES/AllA/Kitchen/2013

			BILL OF QUANTITI	es						
	Part-I									
		Package - Supply, installation &	commissioning of Kitche	n with 2 ye	ar Defect Liability per	iod				
SLNo.     Item Description     1     Specifications     Size/Unit     Qty.     4     Unit Rate in Rs.     Unit Rate in Rs.     (in										
Sl.No.	Item Description 1	Specifications 2	Size/Unit 3	Qty. 4	Unit Rate in Rs. (in Figure) 5	Unit Rate in Rs. words)	(in 6	Amount in Rs. (In Figure) 7		
		RECEIVING AREA								
1				1						
	SS Platform Rack.	The entire rack is made of 18 on tiny tubular legs with adjustable bullet feet.Also fitted with cross bearing channel beneath to hold the Sacks.	1300 x 600 x 250							
2	SS Big Bowl Sink Unit.	Top of 16 sg. SS sheet on S.S. Angle frame work on S.S squarelegs with adjustable bullet feet for uneven floors. Also fitted with a large sink on RHS. Also fitted with a back splash and under shelf. The top is fitted with stud wielded bolts with the frame for sturdy and stronger grip. The bowl size 1200x500x250		1						
			1500 x 650 x 850 +							
3	Weighing Scale.(Electronic)	I.S.I. marked. The suppler has to provide the permit from Weights & Measures dept.	300 Kg	1						
		COLD ROOM & DRY STORE								
4	Dunnage Rack	Dunnage Rack (Sintax/Neelkamal)	1200 x 600	4						
5	SS Platform Rack	Same as sl.no.1	1200 x 800 x 250	4						
6	Onion / Potato Bin	The entire bin is made of 18 swg. S.S. Sheet on heavy duty castor wheels. Also fitted with top opening lids and doors beneath to extract onion / potato.		1						
-			1000 x 600 x 1000							
	4 Door Vertical Refrigerator.	Double walled puff insulated all SS sheet body on tiny tubular legs with adjustable bullet feet. Fitted with Emerson/ Tecumsah make condensing unit on top with auto temperature controller and indicating lamps and SS detachable hinges to keep the detachable wire meshed trays for storage with lockable SS doors. Also Fitted with a detachable drip tray beneath		1						
8	SS Storage Rack with SS Uprights	All five shelves are made of 18 swg. SS sheet on 4 nos round / square legs with adjustable bullet feet. All the shelves are having "C" channel through to accommodate maximum load bearing ability.		11						
9	SS Storage Rack with SS Uprights	SS Storage Rack with SS Uprights Same as sl.no.10	1350 x 450 x 1800	1						

Image: Solution of the same of the sa	10		1		2	1	
easor wheels, lived with a pain cart type handle and cubic on power any damage during operation.   800, \$00, \$00   - <td>10</td> <td>Platform Trolley.</td> <td></td> <td></td> <td>3</td> <td></td> <td></td>	10	Platform Trolley.			3		
search     gaurd in front to prevent any damage during operation.     SO 5 500 5 900     Fe     Accord in the second in the							
11   Cold Room   Temperature   0   to   4   degree   centigrade   1     11   Cold Room   Temperature   0   to   4   degree   centigrade   1     11   Cold Room   Temperature   0   to   4   degree   centigrade   1   1     11   Cold Room   Temperature   0   to   4   degree   centigrade   1 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
11   Cold Room   Temperature 40 to 4 degree contignate matation:   1     11   Cold Room   Temperature 40 to 4 degree contignate matation:   1     11   Cold Room   Temperature 40 to 4 degree contignate density,PCCI exposed exterior 0.5mm thick heet,PCCI exposed exterior 0.5mm thick heet, PCCI interior 0.5mm thick heet, floor interior and exterior of 0.5mm thick PCCI exposed sheet. Coling exterior PCCI, interior PCCI, bleet 0.5mm Vertical,Panels Joint with Can lock coupling in Tongue & Groove arrangement. Details as per technical specification.   2000 x 2500 x 2400   -     12   SS single Bowl Sink unt R.H.S.   Top 01 fo §, SS sheet on S.S. Angle frame work on S.S. Square legs with alignsche builet feet for uneven floors. Also finted with a large sink on RHS. Also fitted with a back splash and under shelf. The top is fitted with and widelded bolis with the frame for sturdy and stronger grip. The bowl size 500x500x250   1   1     13   SS Wall Shelf   Top 01 fo §, SS sheet on S.S. Angle frame work on S.S squarelegs with alignsche builet feet for uneven floors. Also finde with a large sith on RHS. Also fitted with and mider shelf. The top is fitted with a back splash and frame for sturdy and stronger grip   1   1     14   SS Wall Shelf   Top 01 fo §, SS sheet on S.S. Angle frame work on S.S squarelegs with alignsche builet feet for uneven floors. Also finde with a back Shelsh and under shelf. The top is fitted with a slox s00   1   1     15   SS Wall Shelf   Sane as l. No. 14   Slo x 650 x 8			guard in front to prevent any damage during operation.				
11   Cold Room   Temperature 40 to 4 degree contigrate intex PU at 40-42g density/CCI exposed exterior 0.5mm thick better/LCI exposed exterior 0.5mm thick better/LCI exposed sheet. Colling exterior 0.5mm thick better/LCI exposed sheet. Colling exterior 0.5mm thick better/DCI exposed sheet. Colling and the shell.5mm thick better/DCI expos							
Image: Stand Stan				800 x 500 x 900			
Image: set of the set of	11	Cold Room			1		
Image: starting of the start of the sta							
Image: Section of the section of 0.5mm thick PCGI exposed sheet, 0.5mm, VerciaLPanek, Joint with Cam lock coupling in Tongue 200 x 2500 x 2400   Image: Section 0.5mm, VerciaLPanek, Joint with Cam lock coupling in Tongue 200 x 2500 x 2400   Image: Section 0.5mm, VerciaLPanek, Joint with Cam lock coupling in Tongue 200 x 2500 x 2400   Image: Section 0.5mm, VerciaLPanek, Joint with Cam lock coupling in Tongue 200 x 2500 x 2400   Image: Section 0.5mm, VerciaLPanek, Joint with Cam lock coupling in Tongue 200 x 2500 x 2400   Image: Section 0.5mm, VerciaLPanek, Joint with Cam lock coupling in Tongue 200 x 2500 x 2400   Image: Section 0.5mm, VerciaLPanek, Joint WerciaLPanek, J			density,PCGI exposed exterior 0.5mm thick sheet,PCGI exposed				
Image: Colling exterior PCGI, interior PCGI, sheer of Coll Sheer, 0, Sm., Vertical-Panels Joint with Can lock coupling in Tongue & Groove arrangement. Details as per technical specification.   2800 x 2500 x 2400   Image: Colling in Colling			exterior 0.5mm thick sheet, PCGI interior 0.5mm thick sheet,				
Image: Similar of the second secon			floor interior and exterior of 0.5mm thick PCGI exposed sheet,				
Image: Section of the section of th			Ceiling exterior PCGI, interior PCGI Sheet				
Image: Constraint of the second se			0.5mm.Vertical,Panels Joint with Cam lock coupling in Tongue				
VEG. PREPARATION AREA Image: Single Bowl Sink unit   12 SS Single Bowl Sink unit   R.H.S Top of 16 sg. SS sheet on S.S. Angle frame work on fitted with a large sink on RHS. Also fitted with a back splash ind und ersheft. The top is fitted with studied bolts with the frame for sturdy and stronger grip. The bowl size 500x500x250   13 SS Wall Shelf   14 SS Work Table with 1 No U/S.   14 SS Work Table with 1 No U/S.   15 SS wall Shelf   15 SS wall Shelf   16 SS stand for Chopping blocks with boards   16 SS Wall Shelf   16 SS Wall Shelf   16 SS Wall Shelf   17 SS Wall Shelf   18 SS Wall Shelf			& Groove arrangement. Details as per technical specification.				
vec.v				2800 x 2500 x 2400			
12   SS Single Bowl Sink unit R.H.S   Top of 16 sg. SS sheet on S.S. Angle frame work on S.S square legs with adjustable bullet feet for uneven floors. Also and under shelf. The top is fitted with a back splash and under shelf. The top is fitted with stud wielded bolts with the frame for sturdy and stronger grip. The bowl size 500x500x250   1460 x 650 x 850 + 12     13   SS Wall Shelf   The entire shell is made of 18 swg. S.S. Sheet and fastened on wall with S.S. fasteners.   1   1     14   SS Work Table with 1 No U/S.   Top of 16 sg. SS sheet on S.S. Angle frame work on S.S squarelegs with adjustable bullet feet for uneven floors. Also fitted with a back splash and under shelf. The top is fitted with stud wielded bolts with the frame for sturdy and stronger grip   1   1     14   SS Work Table with 1 No U/S.   Top of 16 sg. SS sheet on S.S. Angle frame work on S.S squarelegs with adjustable bullet feet for uneven floors. Also fitted with a back splash and under shelf. The top is fitted with stud wielded bolts with the frame for sturdy and stronger grip   1   1     15   SS Wall Shelf   Same as sl. No. 14   2   1     16   SS stand for Chopping blocks with boards   S.S-304 sheet body to hold poly carbonate Chopping Boards   2   2   2     17   Same as sl. No. 14   1500 x 300   1   1   1   1     18   SS Wall Shelf   SS Wall Shelf   1   1			VEC PREPARATION AREA	2800 x 2300 x 2400			
R.H.S   Top of 16 sg. SS sheet on S.S. Angle frame work on S.S square legs with adjustable bullet feet for uneven floors. Also fited with a large sink on RHS. Also fitted with a wielded bolts with ind under shelf. The top is fitted with a wielded bolts with harme for sturdy and stronger grip. The bowl size 500x500x250   1 <t< td=""><td>12</td><td>SS Single Bowl Sink unit</td><td></td><td></td><td>1</td><td></td><td></td></t<>	12	SS Single Bowl Sink unit			1		
Angle frame work on SS square legs with a jurge sink on RHS. Also fitted with a back splash and under shelf. The top is fitted with a buck splash and under shelf. The top is fitted with a buck splash and under shelf. The top is fitted with a buck splash and under shelf. The top is fitted with a buck splash and under shelf. The top is fitted with a buck splash and under shelf. The top is fitted with a buck splash and under shelf. The top is fitted with a buck splash and under shelf. The top is fitted with a buck splash and under shelf. The top is fitted with a buck splash will with S.S. Sasteers.   1400 x 650 x 850 + 12   1     13   SS Walt Table with 1 No U.S. Savare legs with a justible bullet feet for uneven floors. Also fitted with a back splash and under shelf. The top is fitted with sub wielded bots with the frame for sturdy and stronger grip buck with boards   1			Top of 16 sg. SS sheet on S.S.		1		
Image: Section of the section of th		K.11.5					
Image: set in the set in							
Image: and under shelf. The top is fitted with stud wielded bolts with the frame for sturdy and stronger grip. The bowl size 500x500x250   1460 x 650 x 850 + 15     Image: I							
Image: second							
13   SS Wall Shelf   The entire shelf is made of 18 swg. S.S. Sheet and fastened on wall with S.S. fasteners.   1   1   1     14   SS Work Table with 1 No   Top of 16 sg. SS sheet on S.S. Angle frame work on S.S. Sugarelegs with adjustable bullet feet for uneven floors Also fitted with stud wielded bolts with the frame for sturdy and stronger grip   1   1   1     15   SS Wall Shelf   Same as sl. No. 14   1   1   1     16   SS stand for Chopping blocks with boards   S.S304 sheet body to hold poly carbonate Chopping Boards   2   1     17   SS Wall Shelf   Same as sl. No. 14   1   1   1     18   SS Wall Shelf   SS Wall Shelf   SS Wall Shelf   1   1							
13   SS Wall Shelf   The entire shelf is made of 18 swg. S.S. Sheet and fastened on wall with S.S. fasteners.   1     14   SS Work Table with 1 No   Top of 16 sg. SS sheet on S.S. Angle frame work on S.S squarelegs with adjustable bullet feet for uneven floors Also fitted with a back splash and under shelf. The top is fitted with stud wielded bolts with the frame for sturdy and stronger grip   1     15   SS Wall Shelf   Same as sl. No. 14   810 x 650 x 850 + 150     16   SS stand for Chopping blocks with boards   S.S-304 sheet body to hold poly carbonate Chopping Boards   2     17   Same as sl. No. 14   1500 x 300   1     18   SS Wall Shelf   Same as sl. No. 14   1500 x 300			nune for stardy and sublight grip. The bowr size 500x500x250				
13   SS Wall Shelf   The entire shelf is made of 18 swg. S.S. Sheet and fastened on wall with S.S. fasteners.   1     14   SS Work Table with 1 No   Top of 16 sg. SS sheet on S.S. Angle frame work on S.S squarelegs with adjustable bullet feet for uneven floors Also fitted with a back splash and under shelf. The top is fitted with stud wielded bolts with the frame for sturdy and stronger grip   1     15   SS Wall Shelf   Same as sl. No. 14   1     16   SS stand for Chopping blocks with boards   S.S-304 sheet body to hold poly carbonate Chopping Boards   2     17   SS Wall Shelf   Same as sl. No. 14   10     18   SS Wall Shelf   Same as sl. No. 14   10				1460 650 050 14			
Image: Instant of the entire shelf is made of 18 swg. S.S. Sheet and fastened on wall with S.S. fasteners.   1460 x 300   1     14   SS Work Table with 1 No U/S.   Top of 16 sg. SS sheet on S.S. Angle frame work on S.S. squarelegs with adjustable bullet feet for uneven floors Also fitted with a back splash and under shelf. The top is fitted with stud wielded bolts with the frame for sturdy and stronger grip   1   1     15   SS Wall Shelf   Same as sl. No. 14   1   1     16   SS stand for Chopping blocks with boards   S.S-304 sheet body to hold poly carbonate Chopping Boards   2   2   1     17   Same as sl. No. 14   1   100 x 300   1   1     18   SS Wall Shelf   Same as sl. No. 14   100 x 300   1   1     18   SS Wall Shelf   SS Wall Shelf   1   100 x 300   1   1	10	aa		1460 x 650 x 850 + 15			
14   SS Work Table with 1 No   Top of 16 sg. SS sheet on S.S. Angle frame work on S.S squarelegs with adjustable bullet feet for uneven floors. Also fitted with a back splash and under shelf. The top is fitted with stud wielded bolts with the frame for sturdy and stronger grip   1   1   Image: SS Wall Shelf   1   Image: SS stand for Chopping blocks with boards   SS -304 sheet body to hold poly carbonate Chopping Boards   1	13	SS Wall Shelf			1		
Image: Constraint of the section of the sectin of the section of the section of the section of the section of							
14   SS Work Table with 1 No   Top of 16 sg. SS sheet on S.S. Angle frame work on S.S squarelegs with adjustable bullet feet for uneven floors Also fitted with a back splash and under shelf. The top is fitted with stud wielded bolts with the frame for sturdy and stronger grip   1   1     15   SS Wall Shelf   Same as sl. No. 14   810 x 650 x 850 + 150     16   SS stand for Chopping blocks with boards   S.S-304 sheet body to hold poly carbonate Chopping Boards   2     17   Same as sl. No. 14   10     18   SS Wall Shelf   Same as sl. No. 14			wall with S.S. fasteners.				
U/S.   Top of 16 sg. SS sheet on S.S. Angle frame work on S.S squarelegs with adjustable bullet feet for uneven floors Also fitted with stud wielded bolts with the frame for sturdy and stronger grip   Image: Since the strength of the strengt of the strength of the strength of the strength of the strength				1460 x 300			
Angle frame work on S.S squarelegs with adjustable bullet feet for uneven floors Also fitted with a back splash and under shelf. The top is fitted with stud wielded bolts with the frame for sturdy and stronger grip   810 x 650 x 850 + 15					1		
S.S. squarelegs with adjustable bullet feet for uneven floors Also fitted with a back splash and under shelf. The top is fitted with stud wielded bots with the frame for sturdy and stronger grip   No. 650 x 850 + 15   No. 650 x 850 + 15     15   SS Wall Shelf   Same as sl. No. 14   No. 14   No. 14   No. 14     16   SS stand for Chopping blocks with boards   S.S-304 sheet body to hold poly carbonate Chopping Boards blocks with boards   1   SS vall Shelf   No. 14		U/S.					
Image: series of the secies							
Image: stud wielded bolts with the frame for sturdy and stronger grip   Image: stud wielded bolts with the frame for sturdy and stronger grip   Image: stud wielded bolts with the frame for sturdy and stronger grip   Image: stud wielded bolts with the frame for sturdy and stronger grip   Image: stud wielded bolts with the frame for sturdy and stronger grip   Image: stud wielded bolts with the frame for sturdy and stronger grip   Image: stud wielded bolts with the frame for sturdy and stronger grip   Image: stud wielded bolts with the frame for sturdy and stronger grip   Image: stud wielded bolts with the frame for sturdy and stronger grip   Image: stud wielded bolts with the frame for sturdy and stronger grip   Image: stud wielded bolts with the frame for sturdy and stronger grip   Image: stud wielded bolts with the frame for sturdy and stronger grip   Image: stud wielded bolts wie							
Image: Section of the section of t							
15   SS Wall Shelf   Same as sl. No. 14   1			stud wielded bolts with the frame for sturdy and stronger grip				
15   SS Wall Shelf   Same as sl. No. 14   1							
Image: Same as sl. No. 14 810 x 300 Image: Slow slow slow slow slow slow slow slow s				810 x 650 x 850 + 150			
Image: section of the section of t	15	SS Wall Shelf			1		
16   SS stand for Chopping blocks with boards   S.S-304 sheet body to hold poly carbonate Chopping Boards   2			Same as sl. No. 14				
blocks with boards S.S-304 sheet body to hold poly carbonate Chopping Boards 650x650x850 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				810 x 300			 
650x650x850   SS Wall Shelf   17   18   SS Wall Shelf   SS Wall Shelf   18					2		
SS Wall Shelf Same as sl. No.14 1   17 1500 x 300 1   18 SS Wall Shelf SS Wall Shelf 1		blocks with boards	S.S-304 sheet body to hold poly carbonate Chopping Boards				
SS Wall Shelf     Same as sl. No.14     1       17     1500 x 300     1       18     SS Wall Shelf     SS Wall Shelf     1							
Same as sl. No.14     1500 x 300       17     1500 x 300       18     SS Wall Shelf				650x650x850			
17     1500 x 300       18     SS Wall Shelf     1		SS Wall Shelf			1		
18 SS Wall Shelf SS Wall Shelf 1			Same as sl. No.14				
18 SS Wall Shelf 1	17			1500 x 300			
Same as sl. No. 14	18	SS Wall Shelf	SS Wall Shelf		1		
			Same as sl. No. 14				
1350 x 300				1350 x 300			

19	Veg Cutter Machine			1		1	
19	veg Cutter Machine	Continuous flow outting machine is made of aluminum		1			
		Continuous flow cutting machine is made of aluminum casting on					
		tiny tubular legs with adjustable bullet feet. Fitted with gravity					
		hopper and 4 SS blades for slicing chopping and dicing and a					
		heavy duty motor Options are there for blades for julienne,					
		French fries etc.					
			100 Kg/hr				
20	SS Work Table with 1 No			1			
	U/S.	Same as sl.no.17					
			1200 x 650 x 850 + 15				
21	SS Wall Shelf			1			
		Same as sl. No.14					
			1200 x 300				
	SS Work Table with 1 No			1			
	U/S.	Same as sl. No. 17					
22			1400 x 650 x 850 + 15				
23	SS Wall Shelf			1			
		Same as sl. No.14					
L			1400 x 300				
		STAFF CANTEEN					
24	SS Work Table with 1 No			1			
	U/S.	Same as sl. No.17					
			1450 x 650 x 850 + 15				
25	Microwave Oven	Microwave Oven		2			
		IFB/Equivalent					
			15 L				
26	SS Wall Shelf			1			
		Same as sl. No.14					
			1450 x 300				
27	SS Single Bowl Sink unit			1			
	(R.H.S)	Same as sl. No.15					
			1500 x 650 x 850 + 15				
28	SS Wall Shelf			1			
		Same as sl. No.14					
			1500 x 300				
29	4 Door Vertical			1			
	refrigerator.	Same as sl. No. 8. 1000 LTRS.					
			1200 x 650 x 2100				
30	Citrus Juicer.			1			
		The juicer to have on line separator for citrus fruits.					
31	Blender			1			
		The heavy duty hand held S.S. blender to have the capacity of					
		blending & whipping of more than three litters at one time.					
32	SS Wall Shelf			1			
		Same as sl. No.14					
			1750 x 300				
33	SS Work Table with 1 No			1			
	U/S.						
		Same as sl. No.17					
ĺ			1700 x 650 x 850 + 1				
l	1		1.1.5 % 050 % 050 + 1	L	1	1	

34	SS Wall Shelf			1	r	1
54	55 wan Snen	Same as sl. No.14		1		
		Same as St. NO.14	1700 - 200			
35	Sandwich Griller.		1700 x 300	1		
55	Sandwich Griller.	The heavy duty grilling plates are fitted on S.S. tops on tiny legs.		1		
		Fitted with 3.0 KW heating element with each unit with				
		individual auto temp. controller and indicating lamps. Also fitted				
		with insulated handles on each grillers to extract the contents.				
		with insulated handles on each griners to extract the contents.				
			Double			
36	Tea/Coffee Dispenser			1		
		Double walled mineral wool insulated all SS sheet body on tiny				
		tubular legs. The inner tank is spitted in two parts-one for 25				
		liters water & another for 5 lits. milk with heavy duty individual				
		gun metal faucet and water level indicator. Fitted with 3.0 kw				
		immersion type heating element with auto temp. controller and				
		indicating lamps. Also fitted with a detachable drip tray				
			150 cups/hr			
37	Dosa Plate			1		
		Top of 1 mm thick M.S plate on S.S Angle frame work on S.S.				
		Square legs with adjustable bullet feet. Fitted with heavy duty				
		R.V burner with pilot lamp and individual control valves. Also				
		fitted with splash on three sides and a water through in front and				
		a detachable grease collection drip tray and a bottom shelf.				
			1000 x 600 x 850			
38	Chopping Block		650 x 650 x 850	1		
		Same as sl. No.19				
39	Dough Kneader		25 K -	1		
39	Dough Kneader	The heavy duty SS rotating drum is fitted with heavy duty MS	25 Kg	1		
		stand & base, duty rust proof painted. Also fitted with heavy duty SS arm to mix the dough and duly connected to heavy duty				
		motor.				
		motor.				
40				1		
40	Chapati Plate Cum Puffer			1		
	on right	Top of 12 mm thick M.S plate on S.S Angle frame work on S.S.				
		square legs with adjustable bullet feet. Fitted with heavy duty R.V. Burner with pilot lamp with individual control valves. Also				
		fitted with a puffer on right hand side and a bottom shelf.				
1						
L			1200 x 600 x 850			
41	SS. Exhaust Hood with SS			1		
	Filters Island type	Same as sl. No. 57				
L			1350 x 750 x 500			
42	Chapati Collection Trolley			1		
		Sunken top of 18 swg S. S. sheet body on square legs on castor				
		wheels. Also provided with a bottom shelf.				
			750x600x850		ļ	
43	SS Chapati Roling Table			1		
	with Granite Top & U/s on	Marble top rolling table is fitted on S.S. angle on S.S. square legs				
	Castors.	with adjustable bullet feet. Also fitted with a bottom shelf.				
			1200 x 600 x 850			

			T		1	
44	Idli Steamer	Doubled walled mineral wool insulated all SS sheet body on tiny tubular legs with adjustable bullet feet. Fitted with two nos immersion type heating element of 3.0 KW each with individual auto temperature controller and indicating lamps and SS hinges inside to keep detachable idli trays. Also fitted with water inlet, outlet valves and water level indicator. A front opening insulated door is fitted at the service side.		1		
45	Tilting Boiling Pans	Double walled mineral wool insulated all SS sheet body is fitted with heavy duty SS tubular legs. Fitted with high pressure burner and pilot lamp with individual control valves, tilting gear to extract the boiled/cooked food, water inlet valve and gun metal faucet and SS perforated detachable bottom shelf. A top opening spring loaded lid with insulated handle is also fitted.		1		
46	Tilting Frying /Brazing Pans	Same as above	100 Liters	1		
47	SS. Exhaust Hood with SS Filters (Wall type)	The entire hood is made of 18 swg. S.S. Sheet with S.S. baffle filter and being hung on wall with wall fasteners.	4720 x 1150 x 500	1		
	Single Burner Gas Range.(High Presure) Stock Pot	Top of 16 swg. SS Sheet on S.S Angle frame work on S. S. Square legs with adjustable bullet feet for uneven floors. Fitted with United/Sarna make heavy duty burner with pilot lamps with individual control valves and heavy duty cast iron pan support.		1		
49	SS Side Work Table with 1 No. U/s.	Same as sl. No. 17	750 x 750 x 650 750 x 750 x 650 + 50	1		
50	4 Burner Gas Range with Oven Below	Top of 16 swg. SS Sheet on M.S Angle frame work on SS Square legs with adjustable bullet feet for uneven floors. Fitted with United/Sarna make heavy duty burner with pilot lamps with individual control valves and heavy duty cast iron pan support. Also fitted with an electrically operated oven beneath.		1		
51	SS. Exhaust Hood with SS Filters (I-Land type)	Same as sl. No 62 A	950 x 950 x 850 + 150 4720 x 2000 x 500	1		
52	BISI Cooler	Glass cover at the front door Make-Blue Star/Cellsrost/Euronova/Allanpro	600 Ltrs	1		

53	SS Bain Marie Counter			2		
	with Sneeze Guard.	Miner wool insulated top of all SS sheet body on tubular legs		2		
		with adjustable bullet feet. The tank is spitted in two parts-one				
		part to keep hot food with 3 nos GN pans & other one to have				
		ambient/cold food with 2 GN pans of 1/2x150mm fitted with				
		2nos immersion type heating element of 2.0 kw each with auto				
		temp. Controller & indicating lamps. Also fitted with water inlet,				
		outlet & overflow valves. The entire unit is covered in three sides				
		and fitted with a tray slide in front and an under shelf beneath.				
			1500 x 650 x 850 + 45			
54	Garbage Bin	Moulded Plastic container with 2 Nos-Big castor wheel. Garbage		6		
		cart should be set to keep vertically upright on its base complete				
_		with accessories as per specification.				
		WET AREA				
	Wet Masala Grinder	The heavy duty SS rotating drum on SS covering on MS angle		2		
	(Tilting Type)	frame work duly rust proof painted, is fitted with heavy duty				
		motor with a crushing stone duly fitted in drum with SS tubular				
		leg. Also fitted with a rotating gear to extract the contents after grinding.				
		grinding.				
			10 Liters.	- 1		
	Onion / Potato Peeler (Imported)	The heavy duty peeling drum is made of 18 swg. SS sheet on		1		
	(imported)	three nos tiny legs with adjustable bullet feet and a rotating disc				
		of SS sheet being connected with heavy duty motor of 2 HP				
		single/three phase. Also pasted with neavy duty motor of 2 m				
		drum and on rotating disc to peel and fitted with water inlet valve				
		and aluminum casting/SS sheet our pour to extract peeled				
		potatoes.				
			10 Kg.			
57	Pulverizer		9	1		
		The continuous flow pulverizer is made of SS gravity hopper on				
		SS covering on MS angle frame work duly rust proof painted on				
		adjustable bullet feet. Also fitted with a heavy duty motor with				
		S.S. outpour and 5 blades of different sizes. The heavy duty				
		machine can grind both dry and wet.				
			8 to 10 Kg.			

		MAIN COOKING AREA				
58	Tilting Boiling Pans	MAIN COOKING AREA		2		
38	rining Bolling Pans	Double walled mineral wool insulated all SS sheet body is fitted		2		
		with heavy duty SS tubular legs. Fitted with high pressure burner				
		and pilot lamp with individual control valves, tilting gear to				
		extract the boiled/cooked food, water inlet valve and gun metal				
		faucet and SS perforated detachable bottom shelf. A top opening				
		spring loaded lid with insulated handle is also fitted.				
		spring folded ha what instance handle is also fried.				
			100 Liters			
50	Tilting Frying /Brazing		100 Liters 100 Liters	1		
	Pans	Same as above	100 Liters	1		
60	SS. Exhaust Hood with SS	Same as above		1		
	Filters (Wall type)	The entire hood is made of 18 swg. S.S. Sheet with S.S. baffle				
		filter and being hung on wall with wall fasteners.				
			4720 x 1150 x 500			
61	Single Burner Gas			4		
	Range.(High Presure)	Top of 16 swg. SS Sheet on S.S Angle frame work on S. S.				
		Square legs with adjustable bullet feet for uneven floors. Fitted				
		with United/Sarna make heavy duty burner with pilot lamps with				
		individual control valves and heavy duty cast iron pan support.				
			750 x 750 x 650			
62	SS. Exhaust Hood with SS			1		
	Filters (Wall type)	Same as sl. No. 57				
			1600 x 950 x 500			
63	SS Side Work Table with 1			1		
	No. U/s.					
		Same as sl. No. 17				
			750 x 750 x 650 + 50			
64	SS. Exhaust Hood with SS			1		
	Filters (Wall type)	Same as sl. No.57				
			2400 x 950 x 500			
	Chapati Plate Cum Puffer		1200 x 600 x 850	2		
	on right	Top of 12 mm thick M.S plate on S.S Angle frame work on S.S.				
		square legs with adjustable bullet feet. Fitted with heavy duty				
66	SS. Exhaust Hood with SS			1		
	Filters Island type	Same as sl. No. 57				
			2400 x 750 x 500			
	SS Side Work Table with 1			2		
	No. U/s.	Same as sl. No. 17				
			825 x 950 x 850 +50 s			
68	Chapati Collection Trolley			2		
		Sunken top of 18 swg S. S. sheet body on square legs on castor				
		wheels. Also provided with a bottom shelf.				
$\square$			750x600x850			
	SS Chapati Roling Table			1		
		Marble top rolling table is fitted on S.S. angle on S.S. square legs				
	Castors.	with adjustable bullet feet. Also fitted with a bottom shelf.				
1 1			1200 x 600 x 850			

70			1	-		
701	Dough Kneader	The heavy duty SS rotating drum is fitted with heavy duty MS stand & base, duty rust proof painted. Also fitted with heavy duty SS arm to mix the dough and duly connected to heavy duty motor.	25 Kg.	2		
	SS Single Bowl Sink unit (R.H.S)	Same as sl.no.	1150 x 650 x 850 + 15	1		
	SS Work Table with Drain Board	Same as sl. No.17	1350 x 650 x 850 + 150 spl.	1		
73 ]	Milk Boiler.	Triple walled mineral wool insulated all S.S. Sheet body is fitted on tiny legs. Fitted with water inlet valve with the third Wall and an immersion type hearing element with auto temp. controller and indicating lamp to heat milk. The second wall is insulated with mineral wool. Also fitted with water level indicator to maintain steady supply of water. Also fitted with a top opening lid with insulated handle.		1		
			80Liters			
74	Water Boiler.	Double walled mineral wool insulated all S Sheet body on SS legs with adjustable bullet feet. Fitted with 3.0 kw immersion type heating element with auto temperature controller and indicating lamps. Also fitted with a top opening lid with insulated handle and two insulated handles on either side to carry	80 Liters	1		
	SS Side Work Table with 1		SS Side Work Table			
	SS Side Work Table with I No. U/s.	Same as sl. No.17	with 1 No. U/s.	1		
	4 Burner Gas Range with Oven Below	Top of 16 swg. SS Sheet on M.S Angle frame work on SS Square legs with adjustable bullet feet for uneven floors. Fitted with United/Sarna make heavy duty burner with pilot lamps with individual control valves and heavy duty cast iron pan support. Also fitted with an electrically operated oven beneath.	950 x 950 x 850 + 15	1		
77.	00 E L		950 x 950 x 850 + 15	1		
	SS. Exhaust Hood with SS Filters (I-Land type)	Same as sl. No 62 A	4720 x 2000 x 500	1		
78 ]	Masala Trolley	The entire trolley is made on SS sheet body to keep inserts for preparation on tubular legs on 4 nos castor wheels-2 with breaks and 2 normal. Also fitted with a bottom shelf/cross brazings.		1		
			800 x 500 x 900		 	
	SS Center Work Table with U/s on Castors.	Same as sl. No. 17	1200 x 600 x 850	1		
80	Garbage Bin	Moulded Plastic container with 2 Nos-Big castor wheel. Garbage cart should be set to keep vertically upright on its base complete with accessories as per specification.		4		

		SERVICE AREA			
81	SS Tray Cutlery Trolley		1		
		The entire is made of S.S. hinges on S.S. square uprights on			
		castor wheels.			

0410	Granite Counter	Granite Counter		1			
	SS Water Cooler			1	t	l	İ
		Double walled puff insulated all S.S. Sheet body on S.S. adjustable bullet feet. Fitted with Emerson / Tecunsah make condensing unit with auto temp. controller and indicating lamps. Also fitted with water inlet valve, over flow protector valve and gun metal faucets and S.S. drip tray.	40 Liters				
		DISH WASH AREA					
84 S	SS Dirty Dish Landing			1			
Т	Table with Garbage Chute     L.HS).	Top of 16 swg. S.S. Sheet on S.S. angle frame work on S.S. square pipes with adjustable bullet feet. Fitted with a garbage chute on left hand side and a cross brazing beneath.	1550 x 650 x 850 + 15	-			
95 0	SS Two Bowl Sink Unit		1550 x 650 x 850 + 1;	1			
83 3.		Top of 16 sg. SS sheet on S.S. Angle frame work on S.S square legs with adjustable bullet feet for uneven floors. Also fitted with two sinks on RHS. Also fitted with a back splash and cross brazing. The top is fitted with stud wielded bolts with the frame for sturdy and stronger grip. The bowl size 500x500x250		1			
			1500 x 650 x 850 + 15				
	Hot Water Geyser Horizontal)	Hot Water Geyser (Horizontal)	100 Litres.	1			
	Pre-rinse Jet Spray.	The spray unit to be fitted with hot & cold mixer		1			
88 D	Dish Washer,	Single tank rack conveyor with dryer	100 Racks/hr	1			
F	( <u>)</u>	Same as sl.no.57	2250 x 950 x 500	1			
		The heavy duty chain has to connect with the loading table and dish washer.	850 x 850 x 910	1			
Т	nolder. (manual)	The entire table is made of 16 swg. S.S. Sheet on S.S. angle frame work on S.S. Square legs with adjustable bullet feet. Also fitted with S.S. Hinges to hold the dish washing rack beneath.		1			
			1150 x 650 x 850 + 15				
	SS Work Table with Dishwash Rack holder.	Same as sl. No.94	1275 x 650 x 850 + 15	1			
93 5	SS Dish Storage Rack.		1275 X 050 X 050 + 10	3	<u> </u>		
25 31	-	Same as sl.no.10		5			
			1350x850x900				

		POT WASH AREA				
05 11	Iot Water Geyser	Hot Water Geyser (Horizontal)		1		
	Horizontal)	nor water Geyser (HUHZUIItäl)	100 Litres.	1		
-			100 Litres.	1		
96 P	Pre-rinse Jet Spray.	Same as sl. No. 90		1		
		Same as si. No. 90				
07.5	S Pot Rack			2		
9/ 3	55 FOL KACK	All the shelves are SS Square pipes on 4 pes square lags with		2		
		All the shelves are SS Square pipes on 4 nos square legs with adjustable bullet feet. All the joints are firmly welded and nicely				
		grinded, polished and puffed to a smoother finish.				
		grinded, polished and puried to a smoother rimsh.				
			1200 (00 1500			
00.0			1300 x 600 x 1500			
98 S	S Two Sink Pot Wash			1		
		Top of 16 sg. SS sheet on S.S.				
		Angle frame work on				
		S.S square legs with adjustable bullet feet for uneven floors. Also				
		fitted with two sinks on RHS. Also fitted with a back splash and cross brazing. The top is fitted with stud wielded bolts with the				
		frame for sturdy and stronger grip. The bowl size 600x500x250				
		frame for sturdy and stronger grip. The bowl size 600x500x250				
			1500x600x850+150			
99 P	Pot Wash Masonic	Pot Wash Masonic with tile finish all around	1500 x 1500	1		
10-		TRAY SET UP AREA				
100 S	S Tray Cutlery Trolley.			1		
		Same as sl. No.80				
			375x500x850			
101 P	Plate Dispenser.			1		
		Same as sl. No. 17				
			800 x 400 x 850			
	ray Set up (Conveyer			1		
Т	Type)	Top of 19 swg. S.S. Sheet on S.S. angle frame work on S.S.				
		square pipes with adjustable bullet feet for uneven floors.				
		Fitted with an electrically operated conveyor belt to shift the trays				
		to load.				
			3900 x 600 x 850			
103 H	lot Bain Marie on Castors.			2		
		Double walled mineral wool insulated all S.S. Sheet body is fitted				
		with an immersion type heating element of 3.0 KW with auto				
		temp. controller & indicating lamps on heavy duty castor wheels.				
		Also fitted with 4 nos. G.N. pans with lids of 1/2 x 150.				
			800 x 625 x 850			
104 P	Plate Cover Dispenser.			1		
		Same as sl. No.17				
			Plate Cover Dispenser			
105 S	S Work Table with U/s.			1		
		Same as sl. No.17				
			1500 x 650 x 850 + 15			
106 S	S Rack on Castors			2		
		Same as sl. No.10				
			SS Rack on Castors			

107		Double walled mineral wool insulated all SS sheet body on heavy duty castor wheels with push cart type handle. Fitted with 3.0 kw heating element with auto temp. controller and indicating lamps and SS hinges to keep pre-plated plates with insulated lockable door. Damage resistant rubber cushion is fitted on all the corners to prevent any damage during movement.		6		
		to prevent any damage during movement.				
			875 x 688 x 1200			
108	Sink	MOC-SS-304	600x600x850 +150	1		
		MISCELLANEOUS				
109	Insecto Killer (Ceiling Mounted)	Insecto Killer (Ceiling Mounted)		8		
	Air Curtain (Depend on Door Size)	Air Curtain (Depend on Door Size)		4		
111	Garbage Trolley	Garbage Trolley		3		
112	Extra Dishwash Racks	Extra Dishwash Racks				
А	Extra Dishwash Racks	Extra Dishwash Racks		4		
В	Dishwash Rack - Glasses / Cups	Dishwash Rack - Glasses / Cups		4		
С	Dishwash Rack - Tray	Dishwash Rack - Tray		4		
D	Dishwash Rack - Cutlery	Dishwash Rack - Cutlery		4		
113	Extra Gastronorm Pans	Extra Gastronorm Pans				
	1/1 GN Pan,	1/1 GN Pan, 200mm deep with lid		4		
	1/2 GN Pan,	1/2 GN Pan, 200 mm deep with lid.		6		
	1/2 GN Pan,	1/2 GN Pan, 150 mm deep with lid		3		
	1/2 GN Pan,	1/2 GN Pan, 150 mm deep with lid		3		
	Faucet	Hand wash sink with Faucet		1		
	1 0	Nani Trape Drainage		7		
116	LPG BANK	LPG Bank with gas manifold system and Iron Grilled Cage/PNG		1		
117		TURNKEY WORK AS DETAILED IN TECHNICAL SPECIFICATION		1Lot		
		SUB TOTAL Rs.				

			Part-II							
Item No.	1	Description 2	Unit	3	Qty 4	Unit Rate In Rs (in Figure) 5	Unit Rate in Rs	6	(in Words)	Amount (Rs (In Figure) 7
10										
1.0		Comprehensive Maintenance Charges for the complete								
		Kitchen appliances including spares, repair or replacement of								
		defective equipments/parts, tolls, tackles, accessories,								
		consumables, labour charges etc. complete in all respect after								
		completion of Defect Liability Period as per the contract.								
		Ist Year								
				Job	1					
		2nd Year								
				Job	1					
		3rd Year		Job	1					
		SUB TOTAL Rs.		JOD	1					
		SUMMARY OF RATES QUOTED								
		Seminiar of Arres geored								
1		TOTAL (PART-I)								
2		TOTAL (PART-II)								
2										
Grand Total Amount (	(PAR	T - I + PART - II) (in Figures) :-								
		In words : Rupees								
						Signature of Bidder				
		Date				Name of Bidder				
Note						Seal of the Bidder				
		The above format of Bill of Quantity(BOQ) should be <u>neatly h</u>				The				
	2	BOQ in any other format other than the aboveformat or typed The above quoted rates will be inclusive of all taxes, duties an	written shall be r	ejec	ted.					
		Cost of CMC will be added for ranking purpose	u other charges.							
		Cutting and overwriting should be avoided. Correction should	be countersigned	alw	ays.					
	6	Incase any error between Unit rate in figure and unit rate in w	ords, the unit rate	e in v	words sł	all be cosidered				